Exterior Soffit Gypsum Wallboard by American Gypsum Company LLC

Health Product Declaration v2.2 created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 23662

CLASSIFICATION: 09 21 00 Plaster and Gypsum Board Assemblies

PRODUCT DESCRIPTION: This HPD covers 1/2" Exterior Soffit Gypsum Wallboard, 5/8" Type X Exterior Soffit Gypsum Wallboard and 5/8" Type C Exterior Soffit Gypsum Wallboard. Paper faced Exterior Soffit Gypsum Wallboard is a sag-resistant panel for use in exterior ceiling applications and sidewalls in protected exterior corridors/breezeways with indirect exposure to the weather. Uses include marquees, large canopies, covered walkways, parking areas, carports, exterior soffits and sidewalls of protected corridors/breezeways.

🟮 Section 1: Summary

CONTENT INVENTORY

- Inventory Reporting Format
- O Nested Materials Method
- Basic Method
- Threshold Disclosed Per
- O Material
- O Product

- Threshold level C 100 ppm C 1,000 ppm C Per GHS SDS C Other
- Residuals/Impurities © Considered © Partially Considered © Not Considered Explanation(s) provided for Residuals/Impurities? © Yes © No

Basic Method / Product Threshold

 All Substances Above the Threshold Indicated Are:

 Characterized
 O Yes Ex/SC O Yes O No

 % weight and role provided for all substances.

 Screened
 O Yes Ex/SC O Yes O No

 All substances screened using Priority Hazard Lists with results disclosed.

 Identified
 O Yes Ex/SC O Yes O No

 One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

EXTERIOR SOFFIT GYPSUM WALLBOARD [GYPSUM LT-UNK CELLULOSE LT-UNK | RES ACID MODIFIED, CORN STARCH NoGS UNDISCLOSED NoGS GLASS FIBER LT-UNK]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight. Therefore, this HPD qualifies for the LEED v4 MR credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1).

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: GreenGuard - Gold (previously Children & Schools) VOC content: UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

O Yes

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2021-02-01 PUBLISHED DATE: 2021-02-01 EXPIRY DATE: 2024-02-01 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

EXTERIOR SOFFIT GYPSUM WAL	LBOARD							
PRODUCT THRESHOLD: 1000 ppn	n RESIDU/	ALS AND IMPURITIES C	ONSIDERED: Yes					
RESIDUALS AND IMPURITIES NOT	TES: All items with values exceeding thresh	olds were evaluated for	content					
OTHER PRODUCT NOTES: Americ decoration	an Gypsum Exterior Soffit Panels are for us	se as an external substra	te and are intended to	receive a final				
GYPSUM				ID: 13397-24-5				
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING	DATE: 2021-02-01					
%: 90.0000 - 96.0000	GS: LT-UNK	RC: None NANO: No	SUBSTANCE ROLE	: Structure component				
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS						
None found		Νον	warnings found on HPI	D Priority Hazard Lists				
SUBSTANCE NOTES: Gypsum	SUBSTANCE NOTES: Gypsum is a naturally occurring ore or a specially manufactured product of coal combustion							
-								
CELLULOSE				ID: 9004-34-6				
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING	DATE: 2021-02-01					
%: 3.9000 - 4.2000	GS: LT-UNK	RC: Both NANO: No	SUBSTANCE ROLE	Structure component				
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS						
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		l				
SUBSTANCE NOTES: All residuals and impurities evaluated to product threshold levels								
ACID MODIFIED, CORN STARCI	н			ID: 65996-63-6				
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING	DATE: 2021-02-01					
%: Impurity/Residual	GS: NoGS	RC: None NANO: N	o SUBSTANCE RO	LE: Impurity/Residual				
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS						
None found		Nov	warnings found on HPI	D Priority Hazard Lists				
SUBSTANCE NOTES: Starch is	SUBSTANCE NOTES: Starch is produced from corn, milo, wheat or other natural grains							
-								
UNDISCLOSED				ID: Undisclosed				
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING	DATE: 2021-02-01					

%: 0.2200 - 3.9000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Flame retardant
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
None found			No warn	ings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Naturally of	occurring material used as a core additive			
GLASS FIBER				ID: 65997-17-3
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-02-01		
%: 0.1970 - 0.6500	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Flame retardant
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
None found			No warn	ings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: All residuals and impurities evaluated to product threshold levels

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	GreenGuard - Gold (previously Children & Schools)				
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All manufacturing facilities CERTIFICATE URL: http://greenguard.org/en/index.aspx	ISSUE DATE: 2009-04- 25	EXPIRY DATE: 2019- 04-24	CERTIFIER OR LAB: UL Environment		
CERTIFICATION AND COMPLIANCE NOTES:					
VOC CONTENT UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings					
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All manufacturing facilities are certified for this product CERTIFICATE URL: https://industries.ul.com/environment/certificationvalidation	ISSUE DATE: 2009- 04-25	EXPIRY DATE: 2018- 04-25	CERTIFIER OR LAB: Underwriters Laboratories Greenguard		

CERTIFICATION AND COMPLIANCE NOTES: UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings CERTIFICATE NUMBER 6562-420 for 5/8 Inch Exterior Soffit Gypsum Board Type X CERTIFICATE NUMBER 6560-420

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Residuals and impurities are considered in any ingredients exceeding product threshold values as stated in material notes. The residuals or impurities occurring within materials exceeding the product threshold value did not meet the threshold level for reporting.

MANUFACTURER INFORMATION

MANUFACTURER: American Gypsum Company LLC ADDRESS: 5960 Berkshire Lane Suite 800 Dallas TX 75225, USA WEBSITE: http://www.americangypsum.com/

CONTACT NAME: Bob Ek TITLE: Director of Systems Development and Technical Services PHONE: 1-800-545-6302 ext 5607 EMAIL: bob.ek@americangypsum.com

LT-1 List Translator 1 (Likely Benchmark-1)

to a LT-1 or LTP1 score.) NoGS No GreenScreen.

LT-UNK List Translator Benchmark Unknown (the chemical is

information contained within the list did not result in a clear mapping

present on at least one GreenScreen Specified List, but the

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming

LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.